T H E F I R E P L A C E G A L L E R Y

Ţ

J

D D



Pages 48-49

Pages 50-51

Pages 52-53

Pages 54-55

Pages 56-57

Pages 58-59

Pages 60-61

Pages 62-63

Pages 64-65

Pages 66-67

Pages 68-69

Pages 70-71

Pages 72-73

Pages 74-75

Pages 76-77

Pages 78-79

Pages 80-81

Pages 82-83

Pages 84-85

Aegean Limestone

ARLINGTON	Pages 2-3
ARUNDEL	Pages 4-5
ASCOT	Pages 6-7
BAVERSTOCK	Pages 8-9
BECKFORD	Pages 10-11
BLENHEIM 54	Pages 12-13
BLENHEIM 60	Pages 14-15
BOLECTION	Pages 16-17
BOLECTION WITH SHELF	Pages 18-19
CELTIC	Pages 20-21
CHANTRY 56	Pages 22-23
CHANTRY 60	Pages 24-25
EDWARDIAN CORBEL	Pages 26-27
EPSOM	Pages 28-29
EQUINOX BOLECTION	Pages 30-31
PEMBROKE	Pages 32-33
REGENCY	Pages 34-35
RUTLAND	Pages 36-37
SHELBY	Pages 38-39
SOLSTICE BECKFORD	Pages 40-41
VICTORIAN CLASSIC	Pages 42-43
VICTORIAN CORBEL	Pages 44-45
WILLIAM IV	Pages 46-47

Portuguese Limestone

ABINGDON BECKFORD CAMBRIDGE CHILMARK COMPTON COTSWOLD DORCHESTER EXFORD GALILEO LANGFORD LUDLOW 54 LUDLOW 63 OXFORD PRINCETON PROVENCE RIALTO SOLSTICE BECKFORD SUTTON WOODFORD

Chamot Limestone

BOLECTION WITH SHELF	Pages 86-87
VICTORIAN CLASSIC	Pages 88-89
WARWICK	Pages 90-91
WINDSOR	Pages 92-93

Sandstone

BOSCOMBE	Pages 94-95
PEMBROKE	Pages 96-97
SHELBY	Pages 98-99

Natural Marble

BLENHEIM	Pages 100-101
BOLECTION	Pages 102-103
CAMBRIDGE	Pages 104-105
FLAT VICTORIAN	Pages 106-107
HAVEN	Pages 108-109
INCISED CORBEL	Pages 110-111
VICTORIAN CLASSIC	Pages 112-113
VICTORIAN CORBEL	Pages 114-115

Natural Oak

BEDFORD	Pages 116-117
BELFAST	Pages 118-119
LINCOLN	Pages 120-121

Technical

HOBS, FASCIAS & ARCHES	Pages 122-125
FIREBASKETS & CHAMBERS	Pages 126-127
GAS & ELECTRIC FIRES	Pages 128-131
MULTIFUEL STOVES	Pages 132-133
CASSETTE STOVES	Page 134
DIMENSIONS	Pages 135-143

The following collection of fireplaces and surrounds are only a selection of what we have to offer. To see the full range of exquisite designs and materials available, visit our website.

www.fdcuk.co.uk

accounterest heart fractioned router accept greek. William Morris Auto & Crafter monomic

Deus Cathedrat Somersen 07 07 83

West nove &

ARLINGTON

Mantel:

Arlington in Aegean Limestone.

Interior: Black Victoria cast iron arch.

Fire: Bespoke coal effect gas fire.

Hearth: Honed Black Granite.





ARUNDEL

Mantel:

Arundel in Aegean Limestone.

Interior: Milton cast iron fascia with plain canopy.

Fire:

Enigma.

Hearth: Honed Black Granite.







ASCOT




Mantel:

57" Ascot in Aegean Limestone. (Also available in 54").

Fire:

Columbia gas stove.

Hearth & Slips: Aegean Limestone.





BAVERSTOCK





BECKFORD

Mantel: Beckford in Aegean Limestone.

Chamber: Oyster Slate tile.

Fire:

Columbia gas stove. (Balanced Flue version).

Hearth: Aegean Limestone.





54" BLENHEIM

Mantel:

54" Blenheim in Aegean Limestone.

Interior: Polished Black Granite.

Fire:

Brooklyn electric fire with Polished Steel Contrast frame & Bauhaus fret.

Hearth:

Polished Black Granite.






60" BLENHEIM

Mantel: **60" Blenheim** in Aegean Limestone.

Interior & Chamber: Brushed steel **Shaftesbury** fascia with **Smooth Buff** brick.

> Basket: 18" Cromwell.

Hearth: Honed & oiled Slate.





BOLECTION

Fire:

5″

Mantel: Bolection in Aegean Limestone. Interior: Salisbury hob grate. Open log fire. Hearth: Aegean Limestone. 50″ 43″




BOLECTION WITH SHELF

Mantel: Bolection with shelf in Aegean Limestone.

> Chamber: Charcoal slate tile.

Basket: Polished Queen Anne with brass legs.

> Hearth & Slips: Aegean Limestone.






CELTIC

Mantel: Celtic in Aegean Limestone.

Interior: Aegean Limestone slips.

Fire: Enigma HE with Clevedon fret.

Hearth: Aegean Limestone.






56" CHANTRY

Mantel: **56" Chantry** in Aegean Limestone.

Interior: Byron cast iron plate.

Fire: Enigma HE with Baltimore fret.

Hearth: Polished Black Granite.





60" CHANTRY

Fire:

9″





E D W A R D I A N C O R B E L

Mantel: Edwardian Corbel in Aegean Limestone.

Chamber: Old Red Stock brick.

Fire: Staten electric stove.

Hearth & Slips: Aegean Limestone.





EPSOM

Mantel:

Epsom in Aegean Limestone.

Interior: Honed Black Granite Slips.

Fire: Solstice electric fire.

Hearth: Honed Black Granite.






E Q U I N O X B O L E C T I O N

Fireplace: **Equinox Bolection** in Aegean Limestone.

Fire: Equinox electric fire.






PEMBROKE

Mantel: Pembroke in Aegean Limestone. Interior: Aegean Limestone Slips. Fire: Enigma HE with Blenheim fret.

Hearth: Aegean Limestone.







R E G E N C Y





R U T L A N D

Mantel: **Rutland** in Aegean Limestone.

Chamber: Block fireboard.

Fire: FDC 5 multifuel stove. (Shown with optional black handle).

Hearth: Angolan Black Granite.









SHELBY

Mantel:

51" Shelby in Aegean Limestone. (Also available in 54").

> *Interior:* Flamed Grey Granite slips.

Fire: Ariel 5G multifuel stove.

Hearth: Flamed Grey Granite.






SOLSTICE BECKFORD

Fireplace: Solstice Beckford in Aegean Limestone. Fire: Solstice electric fire. 48″ 7″ 40″ 48″ 15″ Aegean Limestone



VICTORIAN CLASSIC





VICTORIAN CORBEL

Mantel: Victorian Corbel in Aegean Limestone.

Chamber: Brickyard Reclaimed brick.

Basket: 18" Valencia with back & decorative gas fire.

> Hearth & Slips: Aegean Limestone.





WILLIAM IV




Mantel:

William IV in Aegean Limestone.

Interior: Highlight Victoria cast iron arch.

Fire: Bespoke coal effect gas fire.

Hearth: Aegean Limestone.





ABINGDON

Fireplace: Abingdon in Veined Limestone.


Chamber: Reeded fireboard.

Fire: FDC 4 multifuel stove.





BECKFORD





CAMBRIDGE



52




C H I L M A R K



Fireplace: Chilmark in Rosal Limestone. (Also available in 59" to suit Equinox electric fire).

Fire: Solstice electric fire.






C O M P T O N

Fireplace: Compton in Veined Limestone.

Fire: **Brooklyn** electric fire with Brass **Contrast** fascia.





COTSWOLD


Mantel: Cotswold in Rosal Limestone.

Chamber: Reclaimed Cobble brick.

Fire:

FDC 5 multifuel stove. (Shown with optional black handle).

Hearth: Honed Black Granite.





D O R C H E S T E R






EXFORD



Fireplace: Exford in Veined Limestone.

Fire: Brooklyn electric fire with Brushed Steel Contrast fascia.






GALILEO


Fireplace: Galileo in Rosal Limestone.

Fire: Flamerite **Gotham 600** electric fire.





LANGFORD






54" LUDLOW

Fireplace: **54"Ludlow** in Veined Limestone.

Fire: Solstice electric fire.






63" LUDLOW

Fireplace: 63" Ludlow in Veined Limestone.

Fire: Equinox electric fire.





O X F O R D



72




PRINCETON



Fireplace: **Princeton** in Veined Limestone. (With optional split hearth & granite heat plate).

Fire: Ariel 5G multifuel stove.






PROVENCE

Fireplace: **Provence** in Textured Limestone. (With matching brick chamber).

Fire: FDC 8 multifuel stove.






RIALT O

Fireplace: **Rialto** in Textured Limestone.

Chamber: Charcoal Slate tile.

Fire: FDC 5 Wide multifuel stove.






SOLSTICE BECKFORD

Fireplace: Solstice Beckford in Veined Limestone.

Fire: Solstice electric fire.





S U T T O N

Mantel: Sutton in Veined Limestone.

Interior: Monarch cast iron arch.

Fire: Bespoke coal effect gas fire.

Hearth: Polished Black Granite.





W O O D F O R D





BOLECTION WITH SHELF


Mantel:

Bolection with shelf in Chamot Limestone.

Interior: Flamed Grey Granite Slips.

Fire: Ariel 55 multifuel stove.

Hearth: Flamed Grey Granite.






VICTORIAN CLASSIC

Mantel: Victorian Classic in Chamot Limestone.

Interior: Honed Black Granite.

Fire: **Brooklyn** electric fire with Brushed Steel **Contrast** fascia.

Hearth: Honed Black Granite.






WARWICK

Mantel: Warwick in Chamot Limestone.

Chamber: Brown Cobble brick. (Shown in a Herringbone pattern).

> Fire: Staten electric stove.

Hearth & Slips: Chamot Limestone.






WINDSOR

Fireplace: Windsor in Chamot Limestone.


Chamber: Brickyard Reclaimed brick.

Fire: Columbia gas stove.





BOSCOMBE






PEMBROKE

Mantel: **Pembroke** in Sandstone.

Interior: Polished Black Granite.

Fire: Enigma with Bauhaus fret.

Hearth: Polished Black Granite.






SHELBY

Mantel: Shelby in Sandstone.

Interior: Monarch cast iron arch.

Fire: Bespoke coal effect gas fire.

Hearth: Polished Black Granite.



Sandstone



BLENHEIM

Mantel: Blenheim in Polished Brown Emperador Marble.


Interior:

Aegean Limestone slips.

Fire:

Brooklyn electric fire with Brass Contrast frame & Bauhaus fret.

Hearth: Aegean Limestone.



Natural Marble

100




BOLECTION



Mantel: **Bolection** in Honed Grey Emperador Marble.

Interior: Brushed Steel **Sophia** Fascia.

Fire: Enigma HE with Baltimore fret.



Natural Marble




CAMBRIDGE



Fireplace: Cambridge in Polished Egyptian Crème Marble.

Fire: Enigma HE with Bauhaus fret.



Natural Marble



FLAT VICTORIAN





Η Α V Ε Ν

Fireplace: Haven in Polished Egyptian Crème Marble. Fire: Enigma with Clevedon fret. 44″ 8″ 39″ 44″ 15″

Natural Marble



INCISED CORBEL

Mantel:

60" Incised Corbel in Black Granite. (Also available in 54").

Interior: Highlight Victoria cast iron arch.

Fire: Bespoke coal effect gas fire.

Hearth: Polished Black Granite.




Natural Marble

Y. A. Har at



VICTORIAN CLASSIC





VICTORIAN CORBEL


Mantel:

Victorian Corbel in Honed Carrara Marble.

Interior: Polished Black Granite.

Fire: Ariel 5S multifuel stove.

Hearth: Polished Black Granite.



Natural Marble



BEDFORD




Mantel: 54" Bedford in Natural Oak. (Also available in 48").

Interior & Chamber: Ivory tiled & **Cream Cobble** brick.

Fire: FDC 4 multifuel stove.

Hearth:



Natural Oak



BELFAST

Mantel:


54" Belfast in Brown Oak. (Also available in Natural Oak)

Interior: Milton cast iron fascia with patterned canopy.

Fire:

Enigma.

Hearth: Polished Black Granite.



Natural Oak



LINCOLN

Mantel:


54" Lincoln in Natural Oak. (Also available in 48").

Interior & Chamber: Rustic Cobble brick with arch & returns.

Fire: FDC 5 multifuel stove.

Hearth:

Honed & oiled Slate.



Natural Oak



STEEL HOBS AND FASCIAS



SHAFTESBURY FASCIA



GEORGIAN FASCIA




GEORGIAN HOB




SHAFTESBURY HOB



STEEL HOBS AND FASCIAS





CAST IRON ARCHES AND FASCIAS



VICTORIA WITH DEEP BACK



MONARCH WITH BACK



BYRON



MILTON WITH PLAIN CANOPY



MILTON WITH PATTERNED CANOPY



SOPHIA

CAST IRON ARCHES AND FASCIAS



FIREBASKETS



18" & 21" VALENCIA with back & brass legs





16", 18" & 21" VALENCIA 16": 400 W x 335 D x 220 H 18": 470 W x 335 D x 220 H 21": 550 W x 335 D x 220 H



16" CROMWELL 390 W x 280 D x 180 H



18" CROMWELL

455 W x 320 D x 180 H

QUEEN ANNE Polished 590 W x 285 D x 585 H



QUEEN ANNE Polished with Brass legs 590 W x 285 D x 585 H



18" & 21" VALENCIA

with back

18": 470 W x 290 D x 475 H

21": 550 W x 290 D x 500 H

CASTLE Highlight 570 W x 280 D x 440 H



CASTLE Black 570 W x 280 D x 440 H



18", 24" & 30" SWAN'S NEST 18": 460 W x 305 D 24": 630 W x 350 D 30": 750 W x 335 D








CELTIC fire dogs 140 W x 360 D x 515 / 180 H

CHAMBERS




COBBLE BROWN





COBBLE CREAM



COBBLE LAVENDER



COBBLE RECLAIMED




COBBLE RUSTIC





OYSTER SLATE



OLD RED STOCK



SMOOTH BUFF



BRICKYARD RECLAIMED

GAS FIRES





ENIGMA

- Deep fuel bed for an ultra-realistic effect
- Built-in flue restrictor to maximise heat output
- Heat output of up to 4.0 kW at 57% efficiency
- Coal fuel bed
- Suitable for class 1 and 5" lined flues
- Rear venting to reduce flue debris entering the fire
- Choice of manual or battery operated slide control
- Four trim options: black, brass, brushed stainless steel and polished stainless steel
- Compatible with a variety of decorative fire frets

ENIGMA SLIMLINE

- A superb flame picture with a glowing fire bed
- At only 120 mm deep will fit almost any flue
- Heat output of up to 4.1 kW at 58% efficiency
- Coal fuel bed

- Suitable for class 1, class 2 and precast flues
- Choice of manual or battery operated slide control
- Four trim options: black, brass, brushed stainless steel and polished stainless steel
- Compatible with a variety of decorative fire frets







ENIGMA HE

- Heat output of up to 4.9 kW at 89% efficiency
- Excellent radiant heat output
- Ceramic glass front technology
- Suitable for class 1 and 5" lined flues
- Choice of manual, battery operated slide control and remote control

	GAS FIRE EFFICIENC	IES			
		Setting	Input	Net Efficiency	Output
	Enigma	High	7 kW	57%	4 kW
	(N.G. only)	Low	4.8 kW	50%	2.4 kW
	Enigma HE	High	5.5 kW	89%	4.9 kW
-	(N.G. only)	Low	2.4 kW	70%	1.9 kW
	Enigma Slimline	High	7 kW	58%	4.1 kW
	(N.G. only)	Low	2.4 kW	50%	1.2 kW

All featured gas fires are manufactured under a BS EN ISO 9001 quality system (registration number 5195), which covers all areas of product design, development, manufacture and service.

GAS STOVES



COLUMBIA

- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 3.6 kW at 78% efficiency
- Available for use with natural gas or LPG
- Top or rear flue option (rear closure plate supplied)
- Suitable for class 1, class 2 and precast flues
- Manual control
- Extended 5 year warranty

GAS STOVE EFFICIENCIES				
	Setting	Input	Net Efficiency	Output
Columbia (NATURAL GAS)	High	5.5 kW	78%	3.6 kW
Columbia (LPG)	High	5 kW	78%	3.6 kW
Columbia Balanced Flue (NATURAL GAS)	High	5.54 kW	88%	4.35 kW
Columbia Balanced Flue (LPG)	High	4.9 kW	88%	3.9 kW

COLUMBIA BF

- Constructed from heavy gauge mild steel with a cast iron door
- Large ceramic glass window
- Ceramic log fuel bed
- Heat output of up to 4.3 kW at 88% efficiency
- Available for use with natural gas or LPG
- No chimney required
- Balanced flue
- Remote control
- Extended 5 year warranty



A gas fire is a technical piece of equipment and, just like a gas boiler, requires servicing. It is essential that you have your gas fire serviced annually by a GAS SAFE REGISTER installer.

All FDC (UK) Ltd. gas fires carry a 12 month warranty from the date of installation. Please ensure that you complete and return the warranty registration page in the back of the instruction manual.

The Columbia gas stoves have an extended 5 year warranty which is validated by either returning the enclosed warranty card or registering the appliance online. Other terms and conditions apply.

Please note that the ceramic fuel bed, fire box liners and glass are not covered by the warranty, however, spares are available from your retailer.

ELECTRIC FIRES

BROOKLYN



Features 3D Ecoflame™ flame effect technology

- Choice of coal, glass pebble or log fuel beds
- Choice of four flame effects
- Two heat settings, 750W & 1500W
- Suitable for a flat wall installation using a 3" rebated fireplace or surround
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard

STATEN

- Constructed from heavy gauge mild steel with a cast iron door
- Large picture window
- Features 3D Ecoflame™ flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Multifunctional remote control
- Manual over ride buttons
- Thermostat and timer as standard
- Extended 3 year warranty



SOLSTICE


- Features 3D Ecoflame™ flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Manual over ride buttons
- Thermostat and timer as standard

EQUINOX

- Features 3D Ecoflame[™] flame effect technology
- Realistic log fuel bed
- Choice of four flame effects
- Two heat settings, 1000W & 2000W
- Manual over ride buttons
- Thermostat and timer as standard







MULTIFUEL STOVES

FDC 4

- Extended 5 Year Warranty
- 4kW output
- Clean burn technology incorporating the TTi tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency 77.8% wood
- Efficiency 82.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 12" logs

FDC 5

- Extended 5 Year Warranty
- 5kW output
- Clean burn technology incorporating the TTi tertiary airwash system
- Large ceramic glass window
- External rotary grate riddling system
- Efficiency 81.5% wood
- Efficiency 82.1% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Burn rate controlled via primary and secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 12" logs

FDC 8

- Extended 5 Year Warranty
- 8kW output
- Clean burn technology incorporating the TTi tertiary airwash system
- Exceptionally large ceramic glass window
- External rotary grate riddling system
- Efficiency 78.6% wood
- Efficiency 81.0% smokeless fuel
 - smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- secondary air regulators
- the stove body
- Only requires a 12mm thick heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 15" logs






FDC 5W


- CE approved for wood and smokeless fuel (Ancit)
- 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- secondary air regulators
- Only 50mm free air gap required around the stove body
- Only requires a 12mm thick superimposed hearth (If burning smokeless fuel the hearth heat shield, supplied and fitted as standard, must remain in place)
- Accepts up to 15" logs

- Extended 5 Year Warranty
- 5kW output
- Clean burn technology incorporating the TTi tertiary airwash system
- Exceptionally large ceramic glass window
- External rotary grate riddling system
- Efficiency 79.0% wood
- Efficiency 75.4% smokeless fuel
- Exempt under section 21 of the Clean Air Act
- Burn rate controlled via primary and

- CE approved for wood and
- Burn rate controlled via primary and
- Only 50mm free air gap required around
 - superimposed hearth (If burning smokeless fuel the hearth



MULTIFUEL STOVES



$\mathsf{C} \ \mathsf{A} \ \mathsf{S} \ \mathsf{S} \ \mathsf{E} \ \mathsf{T} \ \mathsf{T} \ \mathsf{E} \quad \mathsf{S} \ \mathsf{T} \ \mathsf{O} \ \mathsf{V} \ \mathsf{E} \ \mathsf{S}$


ARIEL 5

- Extended 5 year warranty
- 5kW output
- Clean burn tertiary airwash system
- Efficiency 80.0% wood
- Efficiency 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas (Air limiter bracket must be fitted)
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 11" logs

CALYPSO 5

- Extended 5 year warranty
- 5kW output
- Clean burn tertiary airwash system
- Efficiency 79.5% wood
- Efficiency 83.4% smokeless fuel
- CE approved for wood and smokeless fuel (Ancit)
- Exempt under section 21 of the Clean Air Act 1993 for use within UK smoke control areas
- Simple flue connection via the internally removable top outlet spigot
- 5" liner compatible (additional adapter required)
- Optional cast iron multifuel kit available protects liners and reduces internal volume when burning smokeless fuel.
- Choice of steel (S) or glass (G) finish
- Three and four sided frame option
- Accepts up to 15" logs





FDC BESPOKE DESIGN SERVICE





Using the latest 3D design software, combined with years of experience working with fireplaces, we offer a completely bespoke design service.

From simply changing the size or material of one of our standard models to suit your home, to a completely original design of your own choosing, we will work closely with your retailer/installer to ensure you get exactly what you want.

We stock an extensive library of material samples for you to browse and once you have made your choice we will produce detailed working drawings of your ideas for your approval.

Quality is paramount and we use only the most experienced and skilled stonemasons, combining traditional techniques with modern innovations, to bring your ideas to life.

The result? Flawless, original fireplaces and mantlepieces.

For more information and examples of bespoke designs visit our website at **www.fdcuk.co.uk**. Alternatively you can speak with your local FDC stockist.

ABINGDON

Shelf:	1320 x 210 x 50
Hearth:	1320 x 410 x 50 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	810 wide x 810 high
Across Legs:	1210
Leg Depth:	140
Rebate:	80

54" ASCOT		
Shelf:	1370 x 225 x 70	
Hearth:	N/A	
Height:	1150	
Mantel Opening:	870 wide x 890 high	
Across Legs:	1230	
Leg Depth:	155	
Rebate:	25 or 75 (please specify)	

BECKFORD in Aegean Limestone		
Shelf:	1220 x 180 x 30	
Hearth:	N/A	
Height:	970	
Mantel Opening:	760 wide x 760 high	
Across Legs:	1120	
Leg Depth:	125	
Rebate:	75	

ARLINGTON

1380 x 95
N/A
1145
910 wide x 910 high
1380
95
30

57" ASCOT		
Shelf:	1445 x 225 x 70	
Hearth:	N/A	
Height:	1175	
Mantel Opening:	905 wide x 915 high	
Across Legs:	1305	
Leg Depth:	155	
Rebate:	25 or 75 (please specify)	

BECKFORD in Portuguese Limestone		
Shelf:	1220 x 180 x 50	
Hearth:	1220 x 410 x 50 SOLID SQUARE	
Height (inc hearth):	1040	
Mantel Opening:	760 wide x 760 high	
Across Legs:	1120	
Leg Depth:	125	
Rebate:	35 or 75 (please specify)	

ARUNDEL Shelf: 1405 x 215 x 60 Hearth: N/A Height: 1235 Mantel Opening: 915 wide x 915 high Across Legs: 1235 Leg Depth: 160 Rebate: 75

BAVERSTOCK		
Shelf:	1370 x 200 x 65	
Hearth:	N/A	
Height:	1165	
Mantel Opening:	910 wide x 910 high	
Across Legs:	1255	
Leg Depth:	135	
Rebate:	75	

48" BEDFORD		
Shelf:	1220 x 215 x 32	
Hearth:	N/A	
Height:	1180	
Mantel Opening:	865 wide x 915 high	
Across Legs:	1145	
Leg Depth:	150	
Rebate:	25 / 75	

54" BEDFORD

Shelf:	1370 x 215 x 32	
Hearth:	N/A	
Height:	1195	
Mantel Opening:	915 wide x 915 high	
Across Legs:	1260	
Leg Depth:	150	
Rebate:	25 / 75	

54" BLENHEIM in Aegean Limestone		
Shelf:	1370 x 210 x 80	
Hearth:	N/A	
Height:	1145	
Mantel Opening:	830 wide x 890 high	
Across Legs:	1200	
Leg Depth:	140	
Rebate:	30	

BOLECTION WITH SHELF	
Shelf:	1460 x 205 x 105
Hearth:	N/A
Height:	1200
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

BELFAST Shelf: 1370 x 205 x 32 Hearth: N/A Height: 1180 Mantel Opening: 915 wide x 915 high Across Legs: 1300 Leg Depth: 145 Rebate: 25 / 75

60" BLENHEIM	
Shelf:	1520 x 235 x 110
Hearth:	N/A
Height:	1220
Mantel Opening:	890 wide x 910 high
Across Legs:	1300
Leg Depth:	145
Rebate:	30

BOSCOMBE	
Shelf:	1370 x 200 x 50
Hearth:	1370 x 410 x 50 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1110
Mantel Opening:	840 wide x 700 / 820 high
Stove Opening	740 wide x 700 / 770 high
Across Legs:	1250
Leg Depth:	125
Rebate:	35

BLENHEIM in Emperador Marble	
Shelf:	1370 x 195 x 60
Hearth:	N/A
Height:	1125
Mantel Opening:	870 wide x 890 high
Across Legs:	1240
Leg Depth:	140
Rebate:	30

BOLECTION	
Shelf:	1280 x 115
Hearth:	N/A
Height:	1095
Mantel Opening:	910 wide x 910 high
Across Legs:	1280
Leg Depth:	145
Rebate:	30

48" CAMBRIDGE	
Shelf:	1220 x 220 x 60
Hearth:	1220 x 410 x 60 B&L WITH ROUNDED CORNERS
Height (inc hearth):	1070
Mantel Opening:	705 wide x 700 / 785 high
Across Legs:	1090
Leg Depth:	140
Rebate:	75

54" CAMBRIDGE

Shelf:	1370 x 220 x 60
Hearth:	1370 x 410 x 60 B&L WITH ROUNDED CORNERS
Height (inc hearth):	1080
Mantel Opening:	760 wide x 700 / 785 high
Across Legs:	1240
Leg Depth:	140
Rebate:	75

60" CHANTRY	
Shelf:	1520 x 225 x 30
Hearth:	N/A
Height:	1180
Mantel Opening:	900 wide x 920 high
Across Legs:	1385
Leg Depth:	170
Rebate:	30

COMPTON	
Shelf:	1120 x 200 x 60
Hearth:	1120 x 380 x 60 B&L SQUARE
Height (inc hearth):	980
Mantel Opening:	620 wide x 670 high
Across Legs:	1000
Leg Depth:	140
Rebate:	75

CELTIC Shelf: 1370 x 240 x 30 Hearth: N/A Height: 1200 Mantel Opening: 830 wide x 830 high Across Legs: 1210 Leg Depth: 160 Rebate: 75

48" CHILMARK	
Shelf:	1220 x 200 x 60
Hearth:	1220 x 300 x 60 SOLID WITH ROUNDED CORNERS
Height (inc hearth}:	1050
Mantel Opening:	760 wide x 570 high
Across Legs:	1120
Leg Depth:	140
Rebate:	80

COTSWOLD	
Shelf:	1450 x 190 x 75
Hearth:	N/A
Height:	1165
Mantel Opening:	850 wide x 820 / 890 high
Across Legs:	1290
Leg Depth:	120
Rebate:	35

56" CHANTRY	
Shelf:	1420 x 225 x 30
Hearth:	N/A
Height:	1150
Mantel Opening:	845 wide x 890 high
Across Legs:	1285
Leg Depth:	170
Rebate:	75

59" CHILMARK	
Shelf:	1500 x 200 x 60
Hearth:	$1500 \times 300 \times 60$ solid with rounded corners
Height (inc hearth):	1100
Mantel Opening:	1040 wide x 620 high
Across Legs:	1400
Leg Depth:	140
Rebate:	80

DORCHESTER	
Shelf:	1370 x 190 x 60
Hearth:	1370 x 410 x 60 SOLID WITH BEVEL
Back Hearth:	800 x 380 x 30
Height (inc hearth):	1090
Mantel Opening:	890 wide x 790 high
Outer Slip Opening:	710 wide x 640 / 700 high
Across Legs:	1250
Leg Depth:	120
Rebate:	35

EDWARDIAN CORBEL	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1345 (adj)
Leg Depth:	140
Rebate:	75

EXFORD	
Shelf:	1220 x 185 x 60
Hearth:	1220 x 410 x 60 FLUSH BOXED WITH PROFILE
Height (inc hearth):	1090
Mantel Opening:	760 wide x 760 / 810 high
Across Legs:	1120
Leg Depth:	120
Rebate:	75

HAVEN	
Shelf:	1120 x 200 x 60
Hearth:	1120 x 380 x 60 B&L SQUARE
Height (inc hearth}:	980
Mantel Opening:	620 wide x 670 high
Across Legs:	1000
Leg Depth:	135
Rebate:	75

EPSOM	
Shelf:	1420 x 215 x 30
Hearth:	N/A
Height:	1140
Mantel Opening:	890 wide x 890 high
Across Legs:	1250
Leg Depth:	130
Rebate:	25 or 75 (please specify)

FLAT VICTORL	FLAT VICTORIAN	
Shelf:	1370 x 200 x 30	
Hearth:	N/A	
Height:	1125	
Mantel Opening:	915 (adj) wide x 915 high	
Across Legs:	1275 (adj)	
Leg Depth:	145	
Rebate:	75	

54" INCISED C	ORBEL
Shelf:	1370 x 305 x 40
Hearth:	N/A
Height:	1210
Mantel Opening:	840 wide x 920 high
Across Legs:	1250
Leg Depth:	150
Rebate:	75

EQUINOX BOLECTION	
Shelf:	1370 x 180 x 55
Hearth:	1370 x 380 x 30
Height (inc hearth):	1060
Mantel Opening:	910 wide x 790 high

1280

145

25

Across Legs:

Leg Depth:

Rebate:

GALILEO	
Shelf:	1290 x 210 x 70
Hearth:	1290 x 380 x 30
Height (inc hearth):	1095
Mantel Opening:	800 wide x 800 high
Across Legs:	1160
Leg Depth:	145
Rebate:	75

60" INCISED CORBEL	
Shelf:	1520 x 305 x 40
Hearth:	N/A
Height:	1210
Mantel Opening:	920 wide x 920 high
Across Legs:	1400
Leg Depth:	150
Rebate:	75

48" LANGFORD

Shelf:	1220 x 185 x 60
Hearth:	1220 x 410 x 60 SOLID
Back Hearth:	760 x 410 x 30
Height (inc hearth):	1060
Mantel Opening:	760 wide x 735 / 785 high
Stove Opening	660 wide x 690 / 730 high
Across Legs:	1120
Leg Depth:	120
Rebate:	35

48" LINCOLN	
Shelf:	1220 x 180 x 32
Hearth:	N/A
Height:	1130
Mantel Opening:	840 wide x 890 high
Across Legs:	1145
Leg Depth:	115
Rebate:	25 / 75

63" LUDLOW	
Shelf:	1600 x 200 x 60
Hearth:	1600 x 460 x 50 SOLID
Height (inc hearth):	1095
Mantel Opening:	1060 wide x 775 high
Across Legs:	1480
Leg Depth:	140
Rebate:	35

54" LANGFORD

1370 x 185 x 60
1370 x 410 x 60 SOLID
900 x 410 x 30
1110
810 wide x 785 / 835 high
670 wide x 725 / 765 high
1270
120
35

54" LINCOLN	
Shelf:	1370 x 180 x 32
Hearth:	N/A
Height:	1155
Mantel Opening:	915 wide x 915 high
Across Legs:	1245
Leg Depth:	115
Rebate:	25 / 75

48" OXFORD	
Shelf:	1220 x 220 x 60
Hearth:	1220 x 410 x 60 B&L CHAMFERED
Height (inc hearth}:	1070
Mantel Opening:	705 wide x 700 / 785 high
Across Legs:	1090
Leg Depth:	140
Rebate:	75

60" LANGFORD

Shelf:	1530 x 205 x 60
Hearth:	1530 x 410 x 60 SOLID
Back Hearth:	1000 x 410 x 30
Height (inc hearth):	1220
Mantel Opening:	900 wide x 850 / 900 high
Stove Opening	760 wide x 790 / 830 high
Across Legs:	1380
Leg Depth:	140
Rebate:	35

54" LUDLOW	
JI LODLOW	
Shelf:	1370 x 200 x 60
Hearth:	1370 x 410 x 50 SOLID
Height (inc hearth}:	1095
Mantel Opening:	810 wide x 775 high
Across Legs:	1230
Leg Depth:	140
Rebate:	35

54" OXFORD	
Shelf:	1370 x 220 x 60
Hearth:	1370 x 410 x 60 B&L CHAMFERED
Height (inc hearth}:	1080
Mantel Opening:	760 wide x 700 / 785 high
Across Legs:	1240
Leg Depth:	140
Rebate:	75

PEMBROKE	
Shelf:	1370 x 205 x 105
Hearth:	N/A
Height:	1265
Mantel Opening:	910 wide x 910 high
Across Legs:	1210
Leg Depth:	150
Rebate:	30

REGENCY	
Shelf:	1420 x 230 x 30
Hearth:	N/A
Height:	1120
Mantel Opening:	895 wide x 915 high
Across Legs:	1305
Leg Depth:	170
Rebate:	75

51" SHELBY	
Shelf:	1295 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	835 wide x 865 high
Across Legs:	1195
Leg Depth:	145
Rebate:	75

PRINCETON	
Shelf:	1370 x 190 x 60
Hearth:	1370 x 410 x 60 SOLID WITH BEVEL
Height (inc hearth):	1090
Mantel Opening:	890 wide x 790 high
Across Legs:	1250
Leg Depth:	120
Rebate:	35

RIALTO	
Shelf:	1370 x 265 x 70
Hearth:	1370 x 410 x 60 SOLID
Back Hearth:	900 x 380 x 30
Height (inc hearth):	1120
Mantel Opening:	840 wide x 850 high
Stove Slip Opening:	690 wide x 730 high
Across Legs:	1240
Leg Depth:	150
Rebate:	35

54" SHELBY	
Shelf:	1370 x 200 x 50
Hearth:	N/A
Height:	1140
Mantel Opening:	865 wide x 865 High
Across Legs:	1270
Leg Depth:	145
Rebate:	75

PROVENCE	
Shelf:	1450 x 345 x 100
Hearth:	1450 x 410 x 60 SOLID
Back Hearth:	1000 x 450 x 30
Height (inc hearth):	1200
Mantel Opening:	905 wide x 860 high
Stove Opening	785 wide x 760 high
Across Legs:	1265
Leg Depth:	130
Rebate:	35

RUTLAND	
Shelf:	1475 x 210 x 55
Hearth:	N/A
Height:	1120
Mantel Opening:	820 wide x 705 / 840 high
Across Legs:	1360
Leg Depth:	150
Rebate:	30

SOLSTICE BECKFORD	
Shelf:	1220 x 180 x 30
Hearth:	1220 x 380 x 50 FLUSH BOXED
Height (inc hearth}:	1020
Mantel Opening:	760 wide x 760 high
Across Legs:	1120
Leg Depth:	125
Rebate:	75

SUTTON

Shelf:	1370 x 230 x 50
Hearth:	N/A
Height:	1130
Mantel Opening:	800 wide x 880 high
Across Legs:	1200
Leg Depth:	150
Rebate:	25

54" VICTORIAN CLASSIC	
Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1100
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1295 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

VICTORIAN CORBEL	
Shelf:	1420 x 250 x 30
Hearth:	N/A
Height:	1160
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1325 (adj)
Leg Depth:	150
Rebate:	75

48" VICTORIAN CLASSICShelf:1220 x 200 x 30Hearth:N/AHeight:1075Mantel Opening:840 (adj) wide x 890 highAcross Legs:1140 (adj)Leg Depth:150Rebate:25 or 75 (please specify)

56" VICTORIAN CLASSIC	
Shelf:	1420 x 200 x 30
Hearth:	N/A
Height:	1135
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1335 (adj)
Leg Depth:	150
Rebate:	75

WARWICK	
Shelf:	1370 x 200 x 30
Hearth:	N/A
Height:	1155
Mantel Opening:	865 wide x 865 / 915 high
Across Legs:	1265
Leg Depth:	135
Rebate:	75

51" VICTORIAN CLASSIC

Shelf:	1295 x 200 x 30
Hearth:	N/A
Height:	1075
Mantel Opening:	890 (adj) wide x 890 high
Across Legs:	1250 (adj)
Leg Depth:	150
Rebate:	25 or 75 (please specify)

60" VICTORIAN CLASSIC	
Shelf:	1520 x 200 x 30
Hearth:	N/A
Height:	1165
Mantel Opening:	915 (adj) wide x 915 high
Across Legs:	1385 (adj)
Leg Depth:	150
Rebate:	75

WILLIAM IV	
Shelf:	1520 x 250 x 30
Hearth:	N/A
Height:	1170
Mantel Opening:	920 wide x 920 high
Across Legs:	1400
Leg Depth:	150
Rebate:	30

WINDSOR		
Shelf:	1370 x 190 x 70	
Hearth:	1370 x 410 x 60 FLUSHED BOXED	
Back Hearth:	900 x 400 x 30	
Height (inc hearth):	1210	
Mantel Opening:	870 wide x 900 high	
Stove Slip Opening:	720 wide x 800 high	
Across Legs:	1230	
Leg Depth:	120	
Rebate:	35	

54" WOODFORD	
Shelf:	1370 x 185 x 60
Hearth:	1370 x 410 x 60 SOLID
Height (inc hearth):	1110
Mantel Opening:	810 wide x 785 / 835 high
Across Legs:	1270
Leg Depth:	120
Rebate:	35

60" WOODFORD		
Shelf:	1530 x 205 x 60	
Hearth:	1530 x 410 x 60 SOLID	
Height (inc hearth):	1220	
Mantel Opening:	900 wide x 850 / 900 high	
Across Legs:	1380	
Leg Depth:	140	
Rebate:	35	

IMPORTANT INFORMATION

INSTALLATION

Having a new fireplace installed is a major project and it is advisable to prepare yourself as well as possible. Please ensure your chosen fireplace will physically fit your chimney breast and that it is compatible with the intended heating appliance. The best way to confirm this will be to organise a home survey with the retailer or your installer prior to purchase.

All installations must be carried out in accordance with the requirements set out in the Building Regulation documents, paying particular attention to Approved Document J. There are independent bodies which have been approved to carry out installations in accordance with these regulations. For gas installations, the most recognised independent body is GAS SAFE REGISTER and for solid fuel installations it is HETAS. It is essential to confirm with your retailer that your new fireplace will be installed appropriately. If you have your new fireplace installed by a GAS SAFE REGISTER (gas) or HETAS (solid fuel) registered fitter you will be given a certificate stating that your installation has been carried out in accordance with Building Regulations. If you do not have one of these certificates you will have to arrange for your local Building Control Officer to inspect and approve your installation.

PRODUCT SPECIFICATION

FDC (UK) Ltd has a continuous research and development programme which may necessitate changes to sizes and specifications without prior notification. If any size is critical this should be made clear to your retailer at point of order.

THE FDC PLEDGE

You can purchase any of the products shown in this brochure with total confidence. In the unlikely event that there is a defect discovered on unpacking, a replacement part will be supplied without hesitation.

Of course, this requires the products to be fully inspected prior to installation as no responsibility for refitting or redecoration can be accepted if defective products have been installed or products have been damaged during installation. In these cases and in the case of accidental damage after installation, in-situ repairs might be possible. Please refer to your retailer for further information.

MATERIAL SPECIFICATION

All the fireplaces in this brochure are hand finished. As such, all measurements are approximate and may vary slightly from those published. If any size is critical this should be made clear to your retailer at point of order.

All the fireplaces are manufactured from natural materials and colour and veining variation can occur from photographs, printed material and any showroom displays that relate to these products. Any variation is outside our control and cannot be regarded as faulty or substandard. Due to the nature of the materials used in construction of these fireplaces it may be necessary to reinforce or use suitable filler to eliminate brecciation in the material.

AEGEAN LIMESTONE

Also known as Turkish limestone this off-white material is fine grained and infused with thousands of minute fossils. During the manufacturing process many of these become loosened resulting in 'pitting' across the material surface. This is a characteristic of the material and adds to the natural beauty of the product.

PORTUGUESE LIMESTONE

A light cream coloured material fused over millions of years, it contains skeletal fragments of marine organisms resulting in natural veining and fossils throughout. Cool to the touch and with a matt finish, this attractive material remains one of our most popular. We have selected three different variants of this stone giving a comprehensive choice of styles and finishes.

SEMI RIJO: This is sawn parallel to the natural vein in the stone resulting in a subtle linear pattern running horizontally across the fireplace. Small fossils will also be present.

ROSAL: This is specially selected and contains far less fossils and veins resulting in a much clearer material. It is cross sawn and has a cloudy, more granular appearance when finished.

TEXTURED: Taken from the top layer of the quarries, this stone is composed of a mixture of hard and soft materials. Once extracted it is sawn and worked in the same way as Semi Rijo but is then finished with diamond tipped brushes which remove the softer material to create a smooth yet textured surface finish not unlike the skin of an orange.

CHAMOT LIMESTONE

This French stone is a hard, dense limestone containing many small fossils and veins. It is a slightly darker shade of cream when compared to our Portuguese limestone and is cross sawn and honed giving it a truly unique and distinctive appearance.

SANDSTONE

A sedimentary rock composed mainly of sand-sized minerals or rock grains. This material is of a softer density and requires a more considered approach when handling during installation. A natural textured finish gives this material its solid, earthy appearance.

NATURAL MARBLE

There are so many natural marbles available that it would prove prohibitive to feature them all in one brochure. For this reason we have chosen a small selection that have proved popular over the years.

CARRARA: Also known as Statuary marble, its dense composition has made it desirable to sculptors for hundreds of years. The background colour ranges from white through to blue-grey and it is then characterised by a network of darker grey veins running throughout the material. It is stocked in the more traditional honed finish however can be supplied polished to special order.

EGYPTIAN CRÈME MARBLE: With warm colours and striking patterns this material will compliment any interior style. A feature of this marble is its distinctive fossil content, making each fireplace truly individual. Any inclusions or brecciation in the material will be stopped, filled and polished prior to manufacture.

EMPERADOR: Originating from Turkey we feature both the brown and grey versions of this material however a darker brown version is also available. It is characterised by a network of light coloured veins running throughout the background colour giving the appearance of crazing. It is equally attractive in both honed and polished finishes.

BLACK GRANITE: This is a very dense, hard wearing igneous rock with a high resistance to scratching and staining.Due to its crystalline structure granite can be highly polished to a consistent colour and deep lustre and the resulting fireplaces are truly opulent.

CAST IRON

All the cast iron products are delivered with a protective, oil-based coating on polished surfaces. This should be cleaned off after installation and it is recommended that a spray-type oil is applied to these areas on a regular basis to avoid surface rust forming. Under no circumstances should a water-based cleaner or polish be used to clean cast iron products. Polished surfaces will undergo thermal discolouration during normal use and this is to be expected. High temperature black paint is used inside the fire chamber and will burn off over a period of time. High temperature touch up paint is available from your retailer if required. Ash build up beneath the fire will cause the grate to burn out quickly. The grate and back brick (if present), are consumable parts of your fire and will need replacing from time to time. Due to the nature of cast iron it is vital that all fireplaces undergo a period of 'burning-in'. This involves lighting small fires initially, gradually increasing in size with each subsequent firing.

BRUSHED STEEL FASCIAS

These products are susceptible to rusting if they come into contact with moisture. This can be direct or carried in the atmosphere (such as a recently plastered room). They are supplied with a protective film that inhibits rust formation, however immediately after installation they should be wiped down with a lint free cloth and spray-type oil. We recommend this process is repeated on a regular basis. Should small areas of surface rust appear they can be removed using extra fine grade wire wool and WD40.



STOVES AND SURROUNDS



FDC STOVES AND SURROUNDS

This brochure features our complete range of multifuel and wood burning stoves pictured with a selection of fireplaces taken from our collection.

Offering a choice of traditional freestanding models and more contemporary designs, you are sure to find the perfect stove for your home in this brochure.

When correctly installed and maintained, any FDC stove will give many years of reliable service, bringing pleasure and warmth to your home in a way that only a real fire can.



FDC MICROMARBLE FIREPLACES

This brochure showcases our current range of micromarble fireplaces and surrounds in a selection of different materials.

Whether you choose a complete suite requiring only the addition of a gas or electric fire to complete your fireplace or an individual mantel piece that can be combined with a selection of interiors and hearths, our aim is to offer a fireplace to suit all tastes and budgets.

Micromarble is an ideal material for customers looking for a fireplace or mantel piece with a consistent colour and finish, free from natural markings and fossils.



Ľ

 \mathbf{V}

Ľ

L L

C

Ľ

(

L N

THE FIREPLACE GALLERY

www.fdcuk.co.uk