NOTHING WARMS BETTER





The Epitome of Danish Design



Varde is one of the leading Scandinavian manufacturers of high-efficiency woodburning stoves, focused on combining functionality, quality materials and designer aesthetics.

With a stylish collection of freestanding models, each at the pinnacle of contemporary stove design and incorporating the latest technology, a Varde stove offers complete ease of use and the finest flame experience to bring comforting warmth and an inviting atmosphere into your home.

At Varde, we have a burning passion for creating beautiful stoves that epitomise the fine craftsmanship and design flair that runs throughout our Danish heritage.





Expert Retailer Network

We take great care to ensure that our stoves are designed, tested and manufactured to the highest possible quality and safety standards. We are just as concerned to make certain that they are sold and installed correctly so that you enjoy years of pleasure from your purchase.

Accordingly, you will find our products are only available from experienced, independent retailers who will be happy to show you a selection of models locally in their showrooms, often fully operational. These independant retailers will discuss your individual requirements both technical (such as sizing the heat output to your room and advising on your flue type) and design, and ensure that you select the most appropriate product for your home. They will also be able to advise on or assist with the installation process as well as help provide any aftersales support and servicing of your appliance that you may require in the future.

Whilst we encourage our retailers to promote fireplace products and their outlets via the internet, we do not believe suitable levels of customer care and satisfaction can be obtained from nationwide online sales and we would strongly recommend that you consider this when undertaking your research and making a purchasing decision. Further, please be aware that we do not offer technical support (beyond our statutory responsibilities) to products bought via nationwide online sales, where this support would normally be offered by one of our qualified, independent retailers.



5 Year Extended Warranty

Varde Stoves purchased from within our Expert Retailer Network will have the additional benefit of an Extended Five Year Warranty Period, subject to terms and conditions. Further details can be found on page 15.

What you get with a Varde stove



Convection System

All Varde stoves are based on a convection system that introduces cold air at the bottom of the stove and then releases heated air at the top. This special system promotes good air circulation and increases heat into the room.



Cleanburn System

All Varde stoves have a Cleanburn system that introduces pre-heated combustion air into the top of the firebox which increases heat output and results in fewer soot particles going up the chimney.



Airwash System

By cleverly controlling the airflow within the stove, the glass is kept clear from soot, thus allowing an uninterrupted view of the beautiful rolling flames within.



AirBox External Air

Selected Varde stoves feature a superb 'AirBox' external air combustion facility. Taking combustion air from outside the building reduces draughts and greatly increases fuel economy to give you extra comfort in your home.



Smoke Control Area Approved

Many town and city homes are located in Smoke Control Areas as designated by the Clean Air Act 1993. All Varde Stoves, when fitted with the appropriate kit, have been approved for the burning of wood in these areas meaning that even the most urban of homes can benefit from this environmentally friendly fuel source.



Carbon Neutral Heating

Every Varde stove in this brochure is designed for the burning of wood. Nothing comes close to the real-fire ambiance that comes from heating your home with this carbon neutral fuel source. More information can be found on page 15.

Varde Product range

04 Aura 08 Fuego 10 Shape 12 Uniq 14 Technical 15 Information







Quality details in an attractive design

The Aura range features high-quality cast iron doors, top plate, grate and base, alongside an integrated log store and options for both top and rear exit.





Ergonomically designed handles



Cast iron disc grate in base for easy ash removal

VARDE AURA 1

Aura 1 has a large fire chamber with ample fuel storage space beneath the innovative door which opens when pressed gently.

Height:	1000mm	Heat Output:	5.0kW (3-7kW)
Width:	500mm	Efficiency:	78%
Depth:	420mm	Weight:	104kg





VARDE AURA 2

Aura 2 is designed with a wider front, providing more space in the log storage chamber under the stove and an excellent view of the flames.

Height: 1000mm	Heat Output:	5.0kW (3-7kW)
Width: 500mm	Efficiency:	78%
Depth: 430mm	Weight:	101kg





VARDE AURA 3

At only 870mm high, Aura 3 is the smallest stove in the Aura range, making it perfectly suited to more compact living spaces.

Height: 870mm	Heat Output: 5.0kV	V (3-7kW)
Width: 480mm	Efficiency: 78%	
Depth: 430mm	Weight: 106k	g





VARDE AURA 11

Though the largest in the range at 1100mm high, Aura 11 has an elegant plinth for a light and airy look.

Height: 1100mm	Heat Output:	5.0kW (3-7kW)
Width: 510mm	Efficiency:	78%
Depth: 430mm	Weight:	113kg











MODEL VARDE FUEGO



Contrasting handles



Cast iron disc grate in base for easy ash removal



Integral plinth



FUEGO 1

Elegant rounded corners

8

VARDE FUEGO 1

Combining geometric lines and subtle curves, the distinctive Fuego 1 will make a functional centrepiece in your home.

Height:	990mm	Heat Output:	5.0kW (3 - 7kW)
Width:	500mm	Efficiency:	75%
Depth:	410mm	Weight:	125kg



VARDE FUEGO 2

The Fuego 2 offers the same firebox characteristics as the 1, but with a smaller integral plinth.

Height:	890mm	Heat Output:	5.0kW (3 - 7kW)
Width:	500mm	Efficiency:	75%
Depth:	410mm	Weight:	122kg







MODEL VARDE SHAPE 2

A stove in good shape

The Shape 2 is a slimline stove with tall and slender proportions available in top or rear flue options. The Shape 2 comes with Varde's AirBox system that allows the choice of an external air supply if desired.

The Shape 2 also offers the option of complementing the stove with either a beautiful Soapstone or Sandstone top, creating a stunning centrepiece for your room.



Combustion chamber designed to make it easy to light and clean the stove



Ergonomically correct adjustment of the air vent



Door, top plate, grate and flue made of high-quality cast iron



Ergonomically designed handle



Accessory: Soapstone top



Accessory: Sandstone top

VARDE SHAPE 2

The Shape 2 is a stunning stove that will bring life into your living space, whilst offering a generous flame viewing window.

Height:	1020mm	Heat Output:	5.0kW (3.5 - 6kW)
Width:	520mm	Efficiency:	77%
Depth:	410mm	Weight:	119kg





MODEL VARDE UNIQ





副

Adjustment of the air supply with one handle



UNIQ 13

Side windows for an increased flame visual

Contrasting handle detail 12

Large capacity ash pan

Elegant rounded corners





VARDE UNIQ 1

With its three sides, Uniq 1 is a 180 degree experience. The fire from this stove really lights up the room. The side windows are double glazed and there is a large, practical space for storing fuel in the base of the stove.

Please see front cover for additonal Uniq 1 image.

Height:	1040mm	Heat Output:	5.0kW (3 - 6kW)
Width:	480mm	Efficiency:	76%
Depth:	370mm	Weight:	110kg





VARDE UNIQ 13


The Uniq 13 offers the same firebox characteristics as the Uniq 1, but with a taller integral log store.

Height:	1160mm	Heat Output:	5.0kW (3 - 6kW)
Width:	480mm	Efficiency:	76%
Depth:	370mm	Weight:	120kg





TECHNICAL INFORMATION



External dimensions A x B x C (mm)	Centre of rear flue to bottom D (mm)	Rear edge to centre of flue E (mm)	Flue diameter Ø (mm)	Fitting height, top F (mm)	Weight (kg)
1000 x 500 x 420	830	150	150	970	104
1000 x 500 x 430	830	165	150	970	101
870 x 480 x 430	710	170	150	870	106
1100 x 510 x 430	925	152	150	1100	113
990 x 500 x 410	830	130	150	980	125
890 x 500 x 410	720	130	150	870	122
1020 x 520 x 410	870	160	150	960	119
1040 x 480 x 370	910	170	150	1020	110
1160 x 480 x 370	1040	170	150	1140	120
	dimensions A x B x C (mm) 1000 x 500 x 420 1000 x 500 x 430 870 x 480 x 430 1100 x 510 x 430 990 x 500 x 410 890 x 500 x 410 1020 x 520 x 410 1040 x 480 x 370	dimensions A x B x C (mm)flue to bottom D (mm)1000 x 500 x 4208301000 x 500 x 430830870 x 480 x 4307101100 x 510 x 430925990 x 500 x 410830890 x 500 x 4107201020 x 520 x 4108701040 x 480 x 370910	dimensions A x B x C (mm)flue to bottom D (mm)centre of flue E (mm)1000 x 500 x 4208301501000 x 500 x 430830165870 x 480 x 4307101701100 x 510 x 430925152990 x 500 x 410830130890 x 500 x 4107201301020 x 520 x 4108701601040 x 480 x 370910170	dimensions A × B × C (mm)flue to bottom D (mm)centre of flue E (mm)diameter Ø (mm)1000 × 500 × 4208301501501000 × 500 × 4308301651501000 × 500 × 430710170150870 × 480 × 4307101701501100 × 510 × 430925152150990 × 500 × 410830130150890 × 500 × 4107201301501020 × 520 × 4108701601501040 × 480 × 370910170150	$\begin{array}{c c c c c c c c c c c c c c c c c c c $

	Minimum rear distance to combustibles (mm)	Minimum side distance to combustibles (mm)	Minimum front distance to combustibles (mm)	Nominal Heat Output & Range (kW)	Efficiency (%)
AURA 1	125	300	800	5.0 (3.0 - 7.0)	78
AURA 2	125	300	800	5.0 (3.0 - 7.0)	78
AURA 3	125	300	800	5.0 (3.0 - 7.0)	78
AURA 11	125	300	800	5.0 (3.0 - 7.0)	78
FUEGO 1	200	200	800	5.0 (3.0 - 7.0)	75
FUEGO 2	200	200	800	5.0 (3.0 - 7.0)	75
SHAPE 2	100	250	800	5.0 (3.5 - 6.0)	77
UNIQ 1	150	350	850	5.0 (3.0 - 6.0)	76
UNIQ 13	150	350	850	5.0 (3.0 - 6.0)	76

A HETAS approved installer should undertake a site survey prior to purchase and must install any Varde Stove for you. Your Varde retailer will be able to advise and assist. You may view/download complete installation instructions at our website - www.vardestoves.com. These diagrams/dimensions cover some of the basic requirements. All fires and stoves should be installed by a competent person to the requirement of Building Regulations (Document J) and include the fitting of adequate ventilation to ensure safe use. Usually older buildings do not need any additional ventilation for appliances up to 5kW, but modern houses will need additional ventilation in all cases. Some models can be fitted with an optional External Air Kit, or dedicated external air supply, offering a discreet and draught reducing solution to standard room venting.

Please note that all parts of these stoves, particularly the glass panels in the door, become extremely hot during operation and can result in serious injury and burns if touched. It is therefore recommended that a fireguard complying with BS 8423:2002 is used in the presence of young children, the elderly or infirm. Furthermore, by law all stove installations also require a Carbon Monoxide monitor.

Varde reserves the right to amend any specifications herein or to make any product design changes. Please note that, due to studio lighting and the limitations of the printing process, colour reproduction may vary from actual product. Please consult your Varde retailer for more accurate colours.

Some of the room sets in this brochure have been created for aesthetic purposes. When designing your own installation, please observe the minimum distance to combustible materials as stated in the installation instructions.

The 'Nominal' heat output is to be used for calculating the ventilation provision as required by ADJ Building Regulations and for calculating its suitability for heating the size of room it will be fitted into. The heat output 'Range' is to be used as a guide only as the maximum and minimum performance will depend on local conditions such as flue pull, fuel quality and the way in which the product is used.

FURTHER INFORMATION

Varde and the Environment

When you heat your home with wood, you are in close contact with nature. This is a truly valuable way of exploiting nature's gifts and that's why Varde has always been devoted to utilising our natural resources with care and respect.

All Varde stoves are highly efficient and really make the most of this carbon neutral fuel source.

The wood absorbs just as much CO^2 while it grows in its

natural environment as it emits when it is burned. Varde was the first manufacturer of woodburning stoves in the world to meet the strict requirements to the much coveted Nordic Ecolabel. The standard has stringent requirements for combustion efficiency as well as particle and hydrocarbon emissions.

To qualify carrying the Nordic Ecolabel a stove must not contain any heavy metals.







5 Year Warranty

Your Varde Retailer will provide you with a Five Year Extended Warranty for your new woodburning stove, providing it is registered

with Varde. Please note, this warranty excludes certain consumable parts and is dependant on your appliance being serviced by an appropriately qualified person 12 months after installation and annually thereafter. Stoves purchased outside of Varde's Expert Retailer Network will carry a standard 1 Year Warranty.

Full details of this warranty is set out to view on our website at **www.vardestoves.com**.

Professional XQ[™] Chimney Systems

Varde recommends the Stovax comprehensive range of stove and fireplace chimney systems, the Professional XQ[™] collection. With innovative decorative options, the ability to specify a colour for your system, and with a host of technical advancements, the Stovax Professional XQ[™] range provides an attractive, versatile and reliable solution for your flue system. For further information or to request a brochure, simply contact your local retailer or visit www.stovax.com/chimneysystems.





Aura 1



United Kingdom & Republic of Ireland distributors for Varde:

Stovax Limited Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF

UK Trade Sales Tel: 01392 474000 ROI Trade Sales Tel: 00 44 1392 261990 Fax: 01392 219932 Email: varde@stovax.com

www.vardestoves.com

To view the complete range of brochures within the Stovax group, simply scan this code or visit www.stovax.com



Your Varde Retailer:

£1.00



VARDE1114

Paper sourced from sustainable forests and printed using vegetable based inks